



A smooth ride to  
your final restoration

TEMPSMART™ DC  
from GC

Dual-cure composite  
for temporary crowns and bridges

**GC**

# TEMPSMART DC from GC

Discover the ultimate innovation:  
strong, fast ... brilliant!

Temporary restorations play an important role in restorative dentistry. They not only protect the prepared teeth, but provide **comfort and aesthetics** while your patient awaits the final restoration. GC's introduction of a new technology with TEMPSMART DC makes temporary materials smarter. TEMPSMART DC is **the first plasticiser-free, dual-cure temporary material, designed to make a dentist's work easier and more enjoyable.**


## Take the SMART ride

TEMPSMART DC can be **light-cured**, which offers great advantages: you can control the moment of setting and the final polymerisation is optimised. This allows an **easier and more efficient** procedure which can **save you a great deal of time**. Light-curing also improves the temporary restoration's physical properties, particularly flexural strength.



Light-cure extra-orally

TEMPSMART DC procedure times in comparison to competitors (min)




Source: GC R&D, Japan, 2018. Data on file.

## Take the SAFE ride

Long polymer chains form a **high-density polymer network**, resulting in an exceptionally **high fracture toughness**. This makes it ideally suited for long-term temporisation and long span bridges.

Fracture toughness in comparison to competitors (MPa·m<sup>1/2</sup>)



Source: GC R&D, Japan, 2018. Data on file.

## Take the SMOOTH ride

TEMPSMART DC is delivered in **1:1 delivery systems**, and does not use plasticiser in its composition. This ensures an excellent polymerisation for hard, **smooth, non-sticky surfaces** with virtually no inhibition layer. Therefore, the gingiva can heal better and plaque can be removed easily.



Comparison of classical 10:1 cartridge with plasticiser (left) versus results obtained with 1:1 cartridge of TEMPSMART DC without plasticiser (right).





The high fracture toughness makes it an ideal material for a posterior bridge

1. Initial situation.
2. Injection of TEMPSMART DC into the impression.
3. Removal of the impression 2'00"-2'30" after the start of mixing. Light-curing for 5 s per surface after removal of excess.
4. After polishing; cementation of the bridge using Freegenol or Fuji TEMP LT.



Courtesy of Dr. C. Lampson, Germany

## Take pride in a HAPPY patient!

Thanks to a non-sticky surface, beautiful results can be achieved in a few polishing steps

1. Initial situation.
2. After injecting TEMPSMART DC and placing it in the mouth, the restoration is removed within 2'30" and light-cured.
3. Final polishing of the restoration in a few steps.
4. Final temporary restorations with high gloss.



Courtesy of Dr. J. Tapia Guadix, Spain

## Take the PRETTY ride

TEMPSMART DC is available in **6 shades**, all with a **natural fluorescence**. Thanks to smart filler technology, it is **easily polished** to a remarkably **high gloss**.



Choose between high gloss with manual polishing or characterisation using OPTIGLAZE color nano-filled reinforced coating (GC).



# TEMPSMART DC from GC

A smooth ride to your final restoration

## Take the SMART ride

Short procedure time thanks to convenient light-curing option



## Take the SAFE ride

High fracture toughness for temporaries that last

## Take the SMOOTH ride

Non-sticky restorations for high gloss in a few steps

## Take the PRETTY ride

Fluorescence and long-lasting gloss for smiling patients



TEMPSMART DC, 48 ml cartridge, 16 mixing tips						
Ref.	12760	12761	12762	12763	12764	12765
Shade	A1	A2	A3	A3,5	B1	BW

TEMPSMART DC, 10 ml cartridge, 10 mixing tips				
Ref.	12766	12767	12768	12769
Shade	A1	A2	A3	B1

## Related products



Rebasing

Unifast III



Repair

G-aenial Universal Injectable



Characterisation

OPTIGLAZE color



Temporary Cementation

FREEGENOL Fuji TEMP LT



Crown Removal

PLIERS

*FREEGENOL, Fuji TEMP LT, G-aenial Universal Injectable, OPTIGLAZE color, PLIERS and Unifast III are trademarks of GC. Integrity Multi Cure, Luxatemp Star, Protemp 4, Structur 2 and Structur 3 are not trademarks of GC.*

**GC EUROPE N.V.**  
 Head Office  
 Researchpark  
 Haasrode-Leuven 1240  
 Interleuvenlaan 33  
 B-3001 Leuven  
 Tel. +32.16.74.10.00  
 Fax. +32.16.40.48.32  
 info.gce@gc.dental  
 http://www.gceurope.com

**GC UNITED KINGDOM Ltd.**  
 Coopers Court  
 Newport Pagnell  
 UK-Bucks. MK16 8JS  
 Tel. +44.1908.218.999  
 Fax. +44.1908.218.900  
 info.uk@gc.dental  
 http://uk.gceurope.com

