

G-Cem LinkForce™

ADHESIVE RESIN CEMENT

G-Premio BOND DCA

DUAL-CURE ACTIVATOR FOR G-Premio BOND

G-Cem™ Try-In-Paste

FOR USE WITH G-Cem LinkForce™ AND G-Cem™ Veneer

Try-in paste by a dental professional on the recommended

RECOMMENDED INDICATIONS

1. Cementation of all types of ceramic, resin and metal-based inlays, onlays, crowns and bridges.

2. Cementation of all ceramic and composite veneers.

3. Permanent cementation of crowns and bridges on implant abutments.

CONTRAINDICATIONS

1. Avoid use of this product in patients with known allergies to methacrylate monomer, methacrylate polymer, acetone or other ingredients.

DIRECTIONS FOR USE

A. CEMENTATION TECHNIQUE for all inlays, onlays, crowns, bridges and veneers

1. PREPARATION OF THE RESTORATION

a) Remove the temporary restoration and clean the preparation and the cavity with slurry ofpumice to remove any remaining temporary cement.

b) Check the fit, shade and occlusion of the final restoration. Do not use G-Cem™ Try-In Paste for trial-fit.

2. USE OF G-Cem™ Try-In Paste

1. Hold syringe upright and remove vial cap by turning counterclockwise.

2. Securely attach dispensing tip to the syringe by turning clockwise.

3. Remove old restoration and clean the prepared tooth using a brush and slurry of pumice to remove any remaining temporary cement. Rinse the tooth and dry it thoroughly.

4. Check fit and occlusion of the final restoration. Discontinue use of G-Cem™ Try-In Paste for trial-fit.

3. PRE-TREATMENT OF THE RESTORATION

a) The restoration is pretreated and handled according to the manufacturer's instructions.

• For glass ceramics, etch with hydrofluoric acid. Rinse thoroughly with water and dry with an oil-free syringe.

• For ceramic, zirconia, alumina, hybrid ceramics (e.g. CERAMSTAR) and composite, sandblast* and blow clean with an oil-free air syringe. If necessary, clean with a wet brush and slurry of pumice.

• For porcelain, etch with phosphoric acid and dry with an oil-free air syringe. Follow manufacturer's instructions for porcelain etching.

• For metal, etch with phosphoric acid. Rinse thoroughly with water and dry with an oil-free air syringe.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

• For G-Cem™ Try-In Paste, follow manufacturer's instructions for application.

